



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/573,094

12/18/2006

Michael E. Reck

55807.11

6929

71130 7590 01/29/2009

SEYFARTH SHAW LLP
WORLD TRADE CENTER EAST
TWO SEAPORT LANE, SUITE 300
BOSTON, MA 02210-2028

EXAMINER

FOX, JOHN C

ART UNIT

PAPER NUMBER

3753

MAIL DATE

DELIVERY MODE

01/29/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/573,094	Applicant(s) RECK, MICHAEL E.	
	Examiner John Fox	Art Unit 3753	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 November 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3, 10, 15 and 18 is/are pending in the application.
4a) Of the above claim(s) 18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 10 and 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 March 2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

This action is responsive to the communication filed November 21, 2008.

The drawings are objected to, specifically the split views of Figures 5A-6B, which are partially in section and partially in plan. See 37 CFR 1.84 (i), MPEP 608.02, V.. These superposed views are unduly difficult to understand. A complete cross sectional view, showing the flow path(s) through the valve, is required.

Applicant's remarks have been considered. It should be readily apparent that a complete drawing in plan and a complete drawing in section would show the desired features and also be understandable. Further, contrary to applicant's position, 503 and 505 in the drawings do not label flow paths, they label schematic elements drawn on parts of the structure unrelated to flow paths.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter of claim 3 must be shown or the feature(s) canceled from the claim(s), in particular a stem and seat valve. No new matter should be entered.

In response to applicant's remarks, whether the subject matter is known or not is not the issue.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

Art Unit: 3753

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-2 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Piper, of record.

Pipe 60 is read as the main section. It is believed that the pertinence of the reference is readily apparent.

Applicant's arguments have been fully considered but they are not persuasive.

Applicant argues that Piper does not teach an isolation valve. However, Figure 7 shows a position where flow path 40 is isolated from flow path 38.

Applicant argues that Piper does not show a drain valve section separate from the valve portion. However, it is impossible to determine whether that is true or not. Claim 2 recites a ball section that is essentially the same thing as the valve portion. The claim language seems like a theoretical or hypothetical supposition of structures and/or functions. Why can't the drain valve section be essentially the same thing as the valve portion and be hypothetically considered to be separate and adjacent? Maybe the inner half of the ball chamber is the valve portion and the outer half is the ball section. So we can just as easily divide the ball chamber into thirds, and the last third can be the drain valve section.

Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by Eberhard, of record.

It is believed that the pertinence of the reference is readily apparent. Drain valve 86 is read as a stem and seat valve.

Art Unit: 3753

Applicant's arguments have been fully considered but they are not persuasive.

Applicant argues that the valve 26 contains a single flow passage 32 and so does not correspond to the claims. However, the claims do not recite a valve but a flow diversion device. A device can be a combination, such as valves 26 and 86 taken together. As such the rejection is seen to be proper. As to the recitation of a drain port, when valve 86 is open fluid will flow out, which can reasonably be described as a drain.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Piper.

The use of a well known union connector in the valve of Piper is considered to be an obvious step under the rationale set forth in *KSR v. Teleflex*, 550 U.S. ___, 127 S. Ct. 1727, 82 U.S.P.Q.2d 1385 (2007) that the simple substitution of one known element for another to obtain predictable results is obvious.

Since the only argument made against this rejection is for the allowability of claim 1, which has been shown not to be allowable, this rejection will be maintained.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 3753

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Fox whose telephone number is 571-272-4912. The examiner can normally be reached on Monday-Saturday from 10am-6pm (Hoteling Program).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John Fox/
Primary Examiner
Art Unit 3753

Application/Control Number: 10/573,094
Art Unit: 3753

Page 7